



Bestex Technical Textile Co., Ltd

Sunscreen Roller Blind Fabrics Series GF5500BN

COMPOSITION	42% Glassfiber, 58% PVC
STANDARD WIDTH (cm)	200cm /250cm /300cm/320cm
AVERAGE ROLL LENGTH(m)	25-35m
OPENNESS FACTOR(%)	Appr.5%
FABRIC THICKNESS(mm)	0.81mm±5%
MESH WEIGHT(g/sqm)	550g/m2±5%
YARN COUNT(inch)	46×32
BREAKING STRENGTH(N)	Warp≥2700N/5cm Weft≥1800N/5cm
FIRE RETARDANT	BS 5867 Part 2 Type B、 NFPA 701-2015、 DIN 4102-1 B1
COLOR FASTNESS	ISO 105 B02 Grade 8
REACH	253 SVHC analysis
GREENGUARD	GREENGUARD GOLD Certification

[Http://www.bestex.com.cn](http://www.bestex.com.cn)